

Reloading Templates

“DROP DOWN” Style (To be used in procedures or objective tabs)

Total Contact Cast

Week 1 (__/__/__): Two layers with cut outs

Completed as planned Progression held

Week 2 (__/__/__): Two layers with cut outs

Completed as planned Progression held

Week 3 (__/__/__): Transition to soft cast, Two layers with cut outs

Completed as planned Progression held

Week 4 (__/__/__): Two layers with cut outs in soft cast

Completed as planned Progression held

Week 5 (__/__/__): Two layers; one with cut out, one flat

Completed as planned Progression held

Week 6 (__/__/__): Two layers; one with cut out, one flat

Completed as planned Progression held

Week 7 (__/__/__): One layer flat

Completed as planned Progression held

Week 8 (__/__/__): One layer flat

Completed as planned Progression held

Week 9 (__/__/__): Transition to diabetic shoes

Completed as planned Progression held

Week 10 (__/__/__): Progressive reload in diabetic shoes

Completed as planned Progression held

*Tentative plan for reloading. Can be modified at any time based on wound site presentation (ie. Blistering, re-opening of wound, capillary popping, erythema, significant callus buildup)

Reloading Templates

Soft Cast/Alternative Offloading

Week 1 (__/__/__): Two layers with cut outs

Completed as planned Progression held

Week 2 (__/__/__): Two layers with cut outs

Completed as planned Progression held

Week 3 (__/__/__): Two layers; one with cut out, one flat

Completed as planned Progression held

Week 4 (__/__/__): Two layers; one with cut out, one flat

Completed as planned Progression held

Week 5 (__/__/__): One layer flat

Completed as planned Progression held

Week 6 (__/__/__): One layer flat

Completed as planned Progression held

Week 7 (__/__/__): Transition to diabetic shoes

Completed as planned Progression held

Week 8 (__/__/__): Progressive reload in diabetic shoes

Completed as planned Progression held

*Tentative plan for reloading. Can be modified at any time based on wound site presentation (ie. Blistering, re-opening of wound, capillary popping, erythema, significant callus buildup)

Reloading Templates

Example of Use: progressing

Patient has reloaded in soft cast/alternative offloading for 3 weeks and progressing well with no concerns noted. Next appointment/session should be 3/24/25 and patient will remain with two layers of cast padding; one layer with cut out, one flat layer.

Week 1(3/3/25): Two layers with cut outs

Completed as planned Progression held

Week 2 (3/10/25): Two layers with cut outs

Completed as planned Progression held

Week 3 (3/17/25): Two layers; one with cut out, one flat

Completed as planned Progression held

*In this example, since it is the procedures/objective section of a note, you would not select the date until it has happened. The selection of which layers to add would ultimately be in a drop down menu.

*Tentative plan for reloading. Can be modified at any time based on wound site presentation (ie. Blistering, re-opening of wound, capillary popping, erythema, significant callus buildup)

Reloading Templates

Example of use- holding

Patient presents to 3/31/25 appointment with small intact blister over previously closed wound. Holding progression and continuing with one layer flat, one layer with cut out instead of progressing to one layer flat.

Week 1(3/3/25): Two layers with cut outs

Completed as planned Progression held

Week 2 (3/10/25): Two layers with cut outs

Completed as planned Progression held

Week 3 (3/17/25): Two layers; one with cut out, one flat

Completed as planned Progression held

Week 4 (3/31/25): Two layers; one with cut out, one flat

Completed as planned Progression held

Comments: ex. Held due to blistering noted

*Tentative plan for reloading. Can be modified at any time based on wound site presentation (ie. Blistering, re-opening of wound, capillary popping, erythema, significant callus buildup)